POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

MAKI® BLOCK

WEATHER-PROOF RODENTICIDE

ACTIVE CONSTITUENT : 0.05 g/kg BROMADIOLONE

Weather-proof bait for the control of rats and mice, including those resistant to other anticoagulants

For use in and around domestic, commercial, public services and industrial buildings







CONTAINS Bitrex™

Contains Bitrex®
Human taste deterrent

Emergency Phone No.: 13 11 26

Manufactured by:
LIPHATECH S.A.S.
Av. Jean Serres – ZA Malère
47480 PONT DU CASSE
France

Distributed by:
GARRARDS
32 Kenworth Place
Brendale QLD 4500
Ph. 07 3881 1693

LIPHATECH

NET CONTENTS
7,5 kg
Contains 375 blocks each 20 g

DIRECTIONS FOR USE

RESTRAINTS

DO NOT exceed 3 m between bait stations for mice or 9 m for rats. DO NOT place baits in open.

SITUATION	PESTS	RATE	CRITICAL COMMENTS
In and around agricultural, commercial, domestic and industrial situations. Apply where pests occur, eg, food processing factories or stores, laundries, restaurants, ships, boiler houses, hotels and motels, sub-floors, floor voids and wall cavities.	Rats *(Rattus rattus, Rattus norvegicus)*	3 or more 20 g blocks per bait station	The feeding behaviour of rats and mice is slightly different. Rats feed in large quantities in few locations whereas mice are more erratic and tend to feed in different places at different times. First determine the infested areas. Where droppings are seen, inside ceiling cavities, along runs are locations more probably frequented by rats and mice. Remove as much alternative food as possible. Check bait consumption after 3 days. Replace eaten baits. Where a high level of consumption is noticed, place more baits. Remove baits in new locations where there has been no take. Inspect again 3 days later and then once a week until feeding ceases. Normally treatment takes 2 to 3 weeks.
	Mice *(Mus musculus)*	3 or more 20 g blocks per infested area	

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

Blocks contain human taste deterrent which prevents accidental consumption by children.
Try not to touch the bait as this may deter rats and mice from eating it. Please use gloves.
Usually rats and mice die within 3 to 5 days after eating the bait.
If reinfestation should occur, you can repeat treatment once. For further treatments, it is strongly advised to alternate with a product containing a different active ingredient to avoid the development of genetic resistance.

PRECAUTIONS

The use of this product for the control of protected native rodents requires permission from wildlife authorities.
Do not allow bait to contaminate foodstuffs or food intended for human or animal consumption.
Do not apply bait to crops.
Place baits in locations or bait stations which are inaccessible to other animals and birds.
This product is hazardous to pigs, cats, dogs, native wildlife and poultry.
This product is restricted to use in and around buildings (within 2 metres) or enclosed spaces (e.g., drains).

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Do not store for prolonged periods in direct sunlight.
Break, crush, puncture, and bury empty containers and dispose of unused bait in a local authority landfill. If no landfill is available, bury the containers or unused bait below 500 mm in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.
Do not use containers which have held bait for any other purpose.
Dispose of carcasses safely by burning or burying in an approved landfill. Do not place dead rats or mice in refuse bins or rubbish tips.
Dispose of spoiled blocks by placing in plastic bags and putting in garbage.

SAFETY DIRECTIONS

Poisonous if absorbed by skin contact or swallowed. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with skin. When preparing product for use, wear elbow-length PVC gloves. If on skin and after each baiting, wash thoroughly with soap and water. After each day's use, wash gloves.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 13 11 26.
Vitamin K1 (phytomenadione) is antidotal.
Additional information is listed in the Material Safety Data Sheet.

MANUFACTURER'S WARRANTY AND EXCLUSION OF LIABILITY

This product as supplied is of a high grade and believed to be suitable for any purpose for which it is expressly recommended and must be used in accordance with the Directions for Use given on the label. No responsibility is accepted in respect of the product save those non-excludable conditions implied by any Federal and State legislation or law of a territory.

Maki® Registered trademark of LIPHATECH S.A.S.
Bitrex® Registered trademark of Macfarlan Smith Limited

BN **DOM** **APVMA No. 62180 / 1-15kg / 1207**